

Statistics

PC CADDIE also allows you to print different statistics. Press the **Print** button from the symbols' list to access the statistics functionality. You can select here between classic and comprehensive statistics:



Freely definable occupancy list

Here you have the option of designing the allocation list in such a way that all the additional information you require is also printed.



- 1. Click the most used information here
- 2. You can format the selection of information to be printed here
- 3. Select more information from the list.

Special layout

Create your own layout for the occupancy list. The support team will be happy to help.

As an example, a list with changes to the bookings in the selected timetable for a specific day:

Occupancy List


Printed: 29.01.2019, 14:50h

| No. | Name, First name | Ref. | Reference 1 | Date | Time | Recorded | Changed | Deleted | | |
|-----|------------------|------|-------------|------------|-------|------------------|------------------|---------|---|---|
| | | Info | | | | | | | | |
| 1 | Happy, Helen | | Hotel Sonn | 29.01.2019 | 14:30 | L:20190129-14:30 | L:20190129-14:40 | : - | 1 | |
| 2 | Member, Paul | | | 29.01.2019 | 14:31 | L:20190129-14:31 | L:20190129-14:41 | : - | 1 | |
| 3 | Member, Petra | | | 29.01.2019 | 14:32 | L:20190129-14:32 | L:20190129-14:42 | : - | 1 | |
| | | | | | | | • | • | • | • |

Total: 3 - PAX: 3 - Columns - 1: 3

- 1. when the booking was recorded
- 2. when the booking was changed
- 3. when the booking was deleted
- 4. number of changes on the defined day based on (1)
- 5. number of changes on the defined day based on (2)
- 6. number of changes on the defined day based on (3)

Normal statistics



For normal statistics you have to define the course and the persons group that are to be considered for the statistics, as well as the criterium.



The evaluation is carried out, depending on the setting, as lists. Starting from this position:

| 09:00 | Bajrami, Abi |
|-------|--|
| 09:10 | Muster, Pete |
| 09:20 | SSS: Meier SSS: Müller SSS: Huber SSS: Keller |
| 09:30 | Muster, Pete <mark>Member, Pau</mark> Wollen Alleini |
| 09:40 | Schmedding, Bolga, Olga (Schnüderi, Bi Chevallier, A |
| 09:50 | |

... the first example sorts by Flight size (all persons), the second by Flight size (all members), and the third one by weekdays (all members):

Statistic - 18 Holes, 10 Tee

07.02.19 (Thursday)

Persons booked

| | | | | | Print | ed: 29.01.2019, 15:15h |
|-------------|-----|---|-----|-----|-------|------------------------|
| Time/Pers_ | 1 | 2 | 3 | 4 | More | Total |
| 00:10 | 2/2 | 2 | 1/3 | 2/8 | 4 | 5/13 |
| All persons | 2/2 | | 1/2 | 2/8 | | 5/12 |
| Total | | | | | | 5/13 |
| All persons | | | | | | 5/12 |

- 1. In total there are 2 individual games with 2 reservations; these are all real people.
- 2. In total there is 1 three-game with 3 reservations; 2 of these are real people (third entry is information).
- 3. In total there are 2 four-games with 8 reservations; these are all real people.
- 4. In total there are 5 reserved games with 13 reservations; 12 of these are real people.

Statistic - 18 Holes, 10 Tee

07.02.19 (Thursday)

Persons booked

| | | | | | FILIN | ed: 29.01.2019, 15:15h |
|-------------|-----|---|-----|-----|-------|------------------------|
| Time/Pers. | 1 | 2 | 3 | 4 | More | Total |
| 00:10 | 2/2 | | 1/3 | 2/8 | | 5/13 |
| All persons | 2/2 | | 1/2 | 2/8 | | 5/12 |
| Total | | | | | | 5/13 |
| All persons | | | | | | 5/12 |

- 1. In total there are 2 individual games with 2 reservations; one game is reserved by members, which means 1 reservation through a member.
- 2. In total there is 1 three-game with 3 reservations; one game is reserved to one member.
- 3. In total there are 2 four-games with 8 reservations; one game is reserved by 2 members.
- 4. In total there are 5 reserved games with 13 reservations; 3 games are reserved by 4 members.

Statistic - 18 Holes, 10 Tee

01.01.18 (Monday) - 12.01.18 (Friday)

Persons booked


Printed: 29.01.2019, 15:34h

| Day of week | All members | Other | Total |
|-------------|-------------|-------|-------|
| Monday | 0 | 1 | 1 |
| Tuesday | 10 | 4 | 14 |
| Wednesday | 7 | 10 | 17 |
| Thursday | 0 | 1 | 1 |
| Friday | 3 | 1 | 4 |
| Saturday | 0 | 0 | 0 |
| Sunday | 0 | 0 | 0 |
| Total | 20 | 17 | 37 |

HINT: This view can also be sorted by date, month or year.

Extensive statistics


Information regarding bookings and flight assignments can be filtered out in the extensive timetable statistics:



Evaluation is used to define the period over which the numbers are to be bundled:

- 1. Define the period over which you want to have the evaluation. Enter the date by hand (click with the right mouse button in the date window to see a calendar) or check the box at today and select in the next field the number of days (forward or backward) that should be considered starting withthe selected date.
- 2. If only certain days of the week are to be evaluated, define them here.
- 3. Define here whether the evaluation should be cumulated daily or corresponding to the criterium
- 4. Here you have the possibility to summarize a period of time, e.g. Morning / afternoon or morning / noon / evening, etc.
- 5. Numbers that are not filtered are shown here
- 6. Shows the total of all bookings in the timetable

Columns 1-10 Define different filters in each column. You will get various evaluations on a single list.




With the diverse selection of **Views** you can print simple evaluations of bookings or people, but also determine the occupancy in terms of flights with and without duration. The evaluations can be made in relation to a specific group of people or globally.

HINT: If you frequently work with tour operators/travel agencies/hotels, you can filter these bookings separately. Define the personal filter so that it draws to the tour operator, the travel agency or the hotel by entering the additional information TOUROP. Now check the box **Check reference**. The filtering is now done based on the tour operator and not on the golfer.



In the following screenshot, we assume the same situation as in the case of Simple statistics.



Number of 1st flights / Number of 2nd flights / Number of 3rd flights / Number of 4th flights \ast

= Total number of all flights # with total number of bookings in these flights and separates these numerical values into the columns for | Members| Guests| All bookings |. The numbers printed normally are the numbers in the time intervals set above. The bold** numbers show the daily total.

Example:

Statistic - 18 Holes, 10 Tee

07.02.19 (Thursday)

Flights: 1st/2nd/3rd/4th//bigger = total#bookings
Members: 18 holes. 10 Tee, All members, Main and/or follow-up bookings
Guests: 18 holes. 10 Tee, All guests, Main and/or follow-up bookings

| | | Printed: 29.01.2018, 18:22h | | | |
|---------------|-----------------|-----------------------------|------------------|--|--|
| Day | Member 1 | Guest 2 | Total 3 | | |
| 07.02.19 (Th) | 2/1/0/0 = 3 # 4 | 2/1/0/1 = 4 # 8 | 2/1/0/2 = 5 # 12 | | |
| 00:00 - 06:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 06:00 - 08:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 08:00 - 10:00 | 2/1/0/0= 3 # 4 | 2/1/0/1= 4 # 8 | 2/1/0/2= 5 # 12 | | |
| 10:00 - 12:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 12:00 - 14:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 14:00 - 16:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 16:00 - 18:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 18:00 - 20:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 20:00 - 22:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 22:00 - 24:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| | | | | | |
| 4 Total | 2/1/0/0 = 3 # 4 | 2/1/0/1 = 4 # 8 | 2/1/0/2 = 5 # 12 | | |
| 00:00 - 06:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 06:00 - 08:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 08:00 - 10:00 | 2/1/0/0= 3 # 4 | 2/1/0/1= 4 # 8 | 2/1/0/2= 5 # 12 | | |
| 10:00 - 12:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 12:00 - 14:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 14:00 - 16:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 16:00 - 18:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 18:00 - 20:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 20:00 - 22:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |
| 22:00 - 24:00 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | 0/0/0/0= 0 # 0 | | |


Clarifications:

- 1. There are 4 games in total reserved by 4 members. A person is the only member in a game twice, while two members are participating in the same game only once.
- 2. There are 4 games in total reserved by 8 guests. A person is the only guest in a game twice, two guests are participating in the same game once, and the last game of four is reserved entirely by guests.
- 3. In total there are 2 single-games, 1 two-game, 0 tree-games and 2 four-games.

If you do the evaluation over several days, the individual daily totals can differ from the overall total. For example, if timetable bookings do not specifically refer to a guest or a member. In our

Print members Greenfee bag tags

This function gives you the possibility to print all the bag tags for your members (or for already defined groups) in only one step:




Define the desired group and set the time interval and the article that needs to be booked when printing the bag tag.

The article must be free-of-charge. Also consider the possibility that an existing automatic process may hinder the automatic printing.


List of expected sales

You can also use the extensive timetable statistics for the revenue forecasts. Thus, not only the already booked rounds, but also the resulting revenues are printed. The prerequisite for this is that every booking is associated with an article:



This input can be controlled or entered manually via the Automatic article.

To list the price calculation in the statistics, define a column as follows:



The provisional bookings are also activated for the calculation in our screenshot. This makes sense if you work together with hotels or tour operators, and also want to have the not yet definitely confirmed bookings included in your calculation.

This is how your statistics look like:

Statistic - Month

01.02.19 (Friday) - 28.02.19 (Thursday)

No of bookings-Filter: 18 Holes, 10 Tee, Main or/and follow-up booking, Booking, active, provisional

No of bookings -Format: Value of bookings

Cancelations-Filter: 18 Holes, 10 Tee, Main or/and follow-up booking, Stop, active, provisional

Cancelations -Format: Value of bookings

Sales-Filter: 18 Holes, 10 Tee, Main or/and follow-up booking, Filter, active, provisional

Sales-Format: Number of bookings

Printed: 29.01.2019, 19:02h

| Month | No of bookings | Cancelations | Sales | Total |
|-------|----------------|--------------|----------|-------|
| 2 | 314 | 1 | 22688,00 | 315 |
| Total | 314 | 1 | 22688,00 | 315 |