Enter players, organise start list

If you click on the button *Players* button or in the menu *Enter tournaments/players, divide start list* menu and then click on the desired tournament, you will be taken to the following start list editor:

								Buck			Puffer (0)	Warteliste (0)	Offene Online-Anmeldung ((0) Entfernt (0)	
ruppe:	2/2-5	pieler: 6	6						eanere rtiegrösse:						
ee i	Zeit	Sukz	Name		H	ICP	Club	Pri		3	0/0				
1	9:00	hea1	Heck, Axel			86.5	Gast								
		sosu	Sonnenschein, Su	anne	32.5		Golfclub Sonr	e +1-1	1						
1	9:08	smbe	Schmedding, Bene	stikt	30.0	138	Golfclub Sonr	ie +1-1	1						
		hoca	Hodel, Carmela			4	Gast	+1-1	1						
		muma	Mustermann, Prof	. Max		4	Flühli Sörenb	+1-1	1						
				$\equiv \dots \rightarrow$					1	8					

Enter players directly in the tournament

Enter all registrations for the tournament here. To do this, click directly in the column **Sukz.** There are now various options for entering:

- Search indicator of the desired person (e.g. "teti" for tester Tina)
- Surname or first name of the person (e.g. Tester or Tina)
- 3 letter surname, 2 letter first name (e.g. Tes,Ti)

PC CADDIE immediately shows you the persons found and you confirm the correct ones with Enter. If the person you are looking for has not yet been entered in your PC CADDIE, select **Enter new person** or press the following key on the keyboard **F9**on the keyboard or enter "n" or "new" and the

empty screen for a new person will open.

Start list: PC C	ADDIE Cup, 1.	Round - 25.03.20					-		×
<u>C</u> ompetition	Enter details	Sort + Structure	Block	Buffer	Print	<u>l</u> nfo	Save	Quit	
	- Player: 1/ 1						natic size	<u>Undo</u> per flight:	3
Tee Time	Abbr. Nam			HCP	Club		Pri		
1 0:00	teti		্⇒					H	
	>>Register Tester, Timo	NEW PERSON <<	Guest			teti;t	teti		te
	Tester, Timo		9002/0	Guest		tet2			tei
	Tester, Ti		*						
🔲 Stop loadi	ing 🔽 S	itop removing	🔲 Stop :	swapping					

You also have the option of selecting all players from the person list and then transferring them to the start list at once. To do this, select *Edit/Select person* (F2), then the usual person selection list will be displayed. By means of *Filter* you can restrict the group of people, e.g. all members ladies, for the Ladiesday. You can select people from this list and click *OK* The persons are then transferred to the player list. You can also select people by pressing the space bar. The selection is indicated by a tick in front of the name. Or you can double-click with the left mouse button. If an entry has been selected by mistake, the selection can be removed by pressing the space bar again or double-clicking again. After confirming with *OK* all players marked in this way are added to the list.

As shown in the following screenshot, all players are listed one after the other with details of their handicap, gender, home club and any priorities.

Start list: PC CADDIE Cup, 1. Round - 25.03.20 — 🗆 🗙									
<u>Competition</u>	Enter details Sort + Structure	Block Buffer Print <u>I</u> nfo Save Quit							
Group: 1/ 1 - Tee Time	Player: 8/8 Abbr. Name	automatic size per flight: 3 HCP Club Prior.							
1 0:00	heax Heck, Axel aran Arens, Anja insa Interested, Sarah suso Susi, Someone smbe Schmedding, Benedikt mufr Mustermann, Fritz olya Ollendorff, Yannick	33.6							

PC CADDIE manages both the list of participants and the start list in the start list editor. You enter the players, format them later or structure the start list directly when entering the players into the list by pressing the Enter key or **Edit/Insert group at current position** to start a new game. This only works if there are already start times and the time is not set to 0.00, then PC CADDIE assumes that you want to enter the players in order.

Players who have already registered for the tournament via the Internet (via PC CADDIE://online Tournament registration or the intranet of your golf association) are already entered in the tournament, initially in the "buffer". You can recognise them by the "globe".

Start list: PC CAD	DIE Cup, 1.	Round - 25.03.20					-		×
Competition Er	nter details	Sort + Structure	Block	: Buffer	Print	<u>l</u> nfo	Save	Quit	
Group: 1/ 1 - Pl Tee Time	layer: 7/ 7 Abbr. Nam	e		НСР	Club			<u>Undo</u> e per flight ior.	: 3
	aran Aren suso Susi, insa Inter smbe Schr mufr Must	k, Axel s, Anja Someone ested, Sarah nedding, Benedikt ermann, Fritz dorff, Yannick	20 54 34 26 22).4 4 4.4 5.4 2.7	 A Golfclu Guest Gast A.S.D. PC CA 	Golf C	S F	•	

If you click on the information "i", the tab **data record** tab shows how someone registered, when or, if applicable, which employee entered the player in the tournament.

Entering players in the person mask

Call up person Click on the "Tournament" button

Person: Member, Paul	×	Info: 2 X
Name mepa Nc(049.9001.100011 Select No. Title Addr.(Pers.) Select No. First name Paul Select No. Name Member Select No. Vortext Select No. Title Status Ist Addr. Payment Infgs Status Ist Addr. 2nd Addr. payment Infgs Homeclub 9053 GolfClub TT Select No. Homemember-ID Gender 1.1 Male Male Age group 6 - Senior Membership Status Status 0 T Select No.	 ✓ ✓	Info: 2 Search memo [todo] contact person] Contact] general overview] correspondence] E-Mail] Changes to the data 22.10.18 15:11 LETT [WPC CADDIE - Club enpty letter.DOC / Dr Paul von Member / 1234 Exa Contact Person (1) : @ANSP FAM 2 @Member, Petra (04393/3949593) Register player for multiple competitions Register player for multiple competitions Register player (F9) : [mepa Member, Paul TT, Hcp: 32 Competitions: Select comp. F 2 [mepa Member, Paul TT, Hcp: 32 Competitions: Select comp. F 2 [mepa dember, Paul TT, Hcp: 32 Competitions: Select comp. F 2 [mepa dember, Paul TT, Hcp: 32 Competitions: Select comp. F 2 [meta data area]
D.O.B. 15.04.1965 [54] Entry 15.10.2018 [1] • Privacy		from 15.03.20 to 31.03.21
	🔀 Quit	Dptions & FgF5 🔶 New & FgF6 🛇 Edit & FgF7

- 1. adjust date range
- 2. tournament selection

Once the booking has been entered, you can see this under Tournament button as follows:

Register player for multiple competitions	×
Selected player (F9) : mepa Member, Paul TT, Hcp: 32 Competitions: Select comp. F4 25.03.20 1 0:00 PC CADDIE Cup	
Delete F5 Priority+Time (F7)	lè Print F8
Considered data area to 15.03.20 from 15.03.20 to 15.03.21	Quit

Set start priorities

If you use the arrow key to go all the way to the right when entering the players, you will be taken to the **Prior.** :

Start list: PC C	ADDIE Cup, 1.			_		×			
<u>C</u> ompetition	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
Group: 1/ 1 Tee Time	- Player: 1/ 9 Abbr. Nam	е		НСР	Club			Undo per flight or.	3
1 0:00		ested, Sarah 🖶 . Someone	≤ → 34.4 54		e Gast Guest		S	H	-

- Here you can enter letters to determine the starting priority. In general, the earlier the letter is in the alphabet, the earlier the player starts.
- For example, you usually use the letter "F" for players who want to start early and the letter "S" for late starters. All players for whom nothing is entered are sorted in the same way as the players for whom M (= Mittel) is entered.
- All other letters are also available to you, for example you can mark the sponsors who start in the first game with "A". Players who can only start very late are marked with "Z".

Please note that with **Sort + Format** under **Note priorities** must usually be set to "Ascending":

Note priorities: Ascending	•	
----------------------------	---	--

If "Ignore" is set, the priorities are ignored and the list is then sorted independently of these identifiers. "Descending" ensures that the list is sorted from Z to A.

With the FIELD <TPRIO> in an individual start list format, you can also print priorities.

Further priorities

With the module ONLINE TURNIER module, you have the option of entering how many players can register together for the scramble. When registering online, team numbers are then supplied, which are displayed under Priorities.

Here on the screenshot is the **201** is a team number, players have registered individually (1).

Start list: PC C	ADDIE Cup, 1.	Round - 25.03.20					_		×
<u>C</u> ompetition	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
Group: 1/1 Tee Time	- Player: 5/9 Abbr. Nan	ie		НСР	Club		natic size Pri	<u>Undo</u> e per flig ior.	
1 0:00	suso Susi aran Arer heax Hec	ested, Sarah , Someone Is, Anja k, Axel re, Mirko –	34.4 54 20.4 33.6 3 3.6	4	Gast Guest Golfclu Golfclu			01-1	12
	quro Quid olya Olle smbe Sch	skert, Rosemarie ndorff, Yannick medding, Benedikt nber, Paul	 36.0 26.4 32.0)	PC CA		_		

Enter player information



By clicking on the button window: button next to the priorities, PC CADDIE opens the following

Player Information			×
<u>P</u> layer:	quro Quickert, Rosemarie		
General Op	tions Entry Fee Team	Data File	🔀 <u>C</u> ancel
<u>N</u> ote:		^ ~	
<u>P</u> rize categories:			
<u>C</u> ourse:	(automatic)	•	
<u>T</u> ee colour:	(automatic)	-	
<u>S</u> coring:	(automatic)	-	
Priority :	F-early, M-middle, S-late, Z-last)		

Enter any additional information about a tournament participant in this dialogue. Here you can specify for an individual player that he plays from a different tee colour than all the others, e.g. all men play from yellow, but a senior would like to play from the red men's tee. Then enter the following here **Tee colour** red.

For **Counting method** you can ensure that individual players can play a counting game in a Stableford tournament, for example, even if this is not tied to a handicap limit.

You can use the FIELD <TINFO> in an individual start list layout.

Check guests' handicaps via the intranet

Before you format and print the start list, it is important that you check the guest handicaps, e.g. if you want to start in handicap order. This also prevents the note "Home club unknown" from being printed on the start list.

You can start this at any time by clicking on the *Internet* button on the right:

Competition data: PC	CADDIE Cup - 25.03.20 - Participants: 9 / Guests: 5	×
Name, Date, Cours	e Name PC CADDIE Cup	Project
<u>H</u> oles 18 (3 Date 25.03.2 Course 9001.1	36 -> 2 rounds, max. 108 -> 6 rounds) 0 Sonnenschein - N	<u>№</u> ew <u>○</u> <u>C</u> hange F11 <u>○</u> <u>C</u> hange F11 <u>○</u> <u>D</u> elete F5 <u>○</u>
HCP limit of the tee	s Men /-//- Ladies /-/-/-	Oppy from
Competition condition <u>H</u> CP limit	ons EntryCalculation Hcp <u>f</u> actor	<u>▲ S</u> cores <u></u>
<u>P</u> laying form Scoring	Single Details Stableford	Start fee
	Fi Information	Transfer <u>s</u> cores
Tie	Most difficult/Easiest 9, 6, 3, 1	Internet
Blind h <u>o</u> le	No	
<u>Annual prize</u>	No Compet. text Pin positions	
Intern/Guests	Open Prizes/Categories Ieam scoring	
Qualifying	vorgabenwirksam	🛛 Quit

Here you can find the button **Players and pitch via intranet prüfen:**

Intranet-Info	rmatio	nen (int	terne ID: 13)					×
Name:		EIGHI CA	renberg 18 Loch	Turn	ior			
		FIGHTISO	itemberg to Loci	Turn	iei			✓ <u>о</u> к
Form:		Einzel - S	Stableford; 18 Lö	icher			manue	el
Informationen	Kate	gorien	Spielerzahl	Mel	Idegrenzen Funktionen			C Kopieren F6
Ausrichter:		Club	-	ID:				
							≡	• Parameter
Bemerkung:		Buffet ar	m Abend					
Nenngeld-Info	:	30 CHF f	ür Mitglieder; 80	CHF	für Gā	ste		Export
Start:	-					t:	Uhr	
Anzeige-Status		Turnier	ausblenden					
		Teamerge	bnisse:	ine Te	amwert	ung zeigen) 🔻		
Sichtbar ab:	Meldeli	cte:		-7	-1	0	Uhr	
Sichoon bo.								
	Startlist		• •	-2	-1	0	Uhr	
	Ergebni	sliste:	••	0	+1		Uhr	
				_		etzt ges		
🏈 Spieler un	d Platz p	er Intrane	t prüfen		06.	11.20 0	9:41	
Meldeliste	ins Intra	net steller	ı					
💮 Startliste i	Startliste ins Intranet stellen							
💮 Ergebnislis	ste ins In	tranet stel	len					
() Wettspiel	im Intran	et öffnen			•	Info-T	exte	× Abbruch

The result is as follows: If the line is highlighted in yellow, the player has been identified and the
 handicap has changed since the last comparison. If the line is green, there has been no handicap change.

If no club has been entered for a player, the line is white and the information reads "Abroad". WRONG ANSWER" in the red line means that the player with the specified club was not found on

the intranet.

Reque	st player data			×
	Name	Status	O Edit player F7	Z Quit
Z	Interested, Sarah	34.4	Foreign country	
	Arens, Anja	20.4	WRONG ANSWER	
	Susi, Someone	54	WRONG ANSWER	
	Heck, Axel	33.6	Foreign country	

Individual players with "Home club unknown"

If you still have individual players with "home club unknown" at a later date, edit them directly in the tournament, in the start list editor, by opening the person with the magnifying glass and carrying out an intranet check in the person himself. This is then less "checking effort" than checking all players in the round again via the intranet.

Create start list

Once you have entered all players, you can automatically create a start list. To do this, select **Sort + Format/Sort + Format** (F4):

Qrder: Leave order (just format) Handicap, ascending Handicap, descending Random order High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending Note priorities: Ascending ✓ Sott flights internally ✓ Check flight-combination ✓ Structure: Flight size: First flight: Iee: 1 Ime: 10:00 o'clock	Sort and structure		×
Note priorities: Ascending ✓ Sort flights internally ✓ Check flight-combination ✓ Structure: Elight size: 3 Player First flight: Iee: 1 Ime: 10:00 o'clock	<u>O</u> rder:	Handicap, ascending Handicap, descending Random order High-Middle-Low Alphabetical Clubs	Ladies/ <u>G</u> entlemer
✓ Sort flights internally ✓ Check flight-combination Gruppen-Check ✓ Structure: Elight size: 3 Player First flight: Iee: 1 Imme: 10:00 o'clock	Split <u>w</u> omen and men:	Ladies and Gentlemen	Within group
✓ Structure: Elight size: 3 Player First flight: Iee: 1 Imme: 10:00 o'clock	<u>N</u> ote priorities:	Ascending	Gruppen- <u>C</u> heck
First flight: <u>I</u> ee: <u>I</u> ime: <u>10:00</u> o'clock	Sort flights internally	Check flight-combination	<u>I</u> urn around
	✓ <u>S</u> tructure: <u>Flight size</u>	: 3 Player	Special
	First flight:	Iee: 1 Iime: 10:00 o'clock	
Timeinterval: 8 minutes (0=Letters)	Time <u>i</u> nterval:	8 minutes (0=Letters)	
(7,8=altering 7 and 8 minutes) Break after each 0 .flight: 0 minutes Number of engaged holes 1 (2 = 1. and 10. Tee) X Cancel	-	0 .flight: 0 minutes	X Cancel

Sequence

Here you can change the *order* of the start list. PC CADDIE offers you numerous options. We will go into the most important ones below:


Leave order (formatting only)

Use this selection if the start list is only to be formatted, i.e. divided into lots.

Random sorting

Random sorting, is very useful because it means that the same players, who follow each other

according to strict handicap sorting, do not always play together. On the other hand, too much mixing can be avoided so that golfers with a single-digit handicap do not have to play with beginners. The categorisation by handicap is automatically requested after selecting this option:



You can specify five default classes within which the order is determined by chance. If you do not require all five classes or only want a complete random sort, enter "–," as the upper limit for the last required class. The following classes are then ignored.

Medium-high-low

For many individual competitions, the "medium-high-low" sorting is interesting: In this case, each game is sorted in such a way that a player from the first, second and third third of the list of players sorted according to specifications is assigned to each game. This means that different skill levels play together in one match.

Women and men start separately

So	ort and structure		×
	<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	Ladies/ <u>G</u> entlemer
	Split <u>w</u> omen and men: <u>N</u> ote priorities:	Ladies and Gentlemen Ladies and Gentlemen Ladies before Gentlemen Men before Ladies Check riight-complication	Within group
	Structure: Flight size:	3 Player	<u>I</u> urn around <u>S</u> pecial
_	<u>B</u> reak after each <u>N</u> umber of engaged	(7,8=altering 7 and 8 minutes) 0 .flight: 0 minutes 1 holes 1 (2 = 1. and 10. Tee)	X <u>C</u> ancel

With **Separation of men and women** you can choose whether men and women should start mixed or separated.

Sort and structure		×
<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	Ladies/ <u>G</u> entlemer
Split <u>w</u> omen and men:	Ladies and Gentlemen	Within group
<u>N</u> ote priorities:	Ascending Ignore	Gruppen-Check
✓ Sort flights internally	Ascending Descending Ascending with team-number	<u>I</u> urn around
Structure: <u>Flight size</u> :		Special
First flight:	[ee: 1 <u>I</u> ime: 10:00 o'clock	
Time interval:	8 minutes (0=Letters)	
<u>B</u> reak after each	(7,8=altering 7 and 8 minutes)	
<u>N</u> umber of engaged	d holes 1 (2 = 1. and 10. Tee)	X Cancel

Consider early or late start requests

Note priorities refers to the option of setting start priorities for early or late starters in the start list. These priorities are represented by letters. Here you specify whether these priorities should actually be taken into account in the sorting. "Ascending" means the usual case that "F" stands for early and "S" for late and should therefore also be sorted "Ascending", i.e. alphabetically ("F" before "S"). With "Descending", the order of priorities is reversed. The priorities are switched off with "Ignore".

Correct sorting within the batches

If **Sort within flight** is selected, PC CADDIE automatically sorts the games correctly: first the men and then the women, each sorted by handicap. This option could be deactivated if you select an order by preliminary round result.

Control of the games - Flight control

The *match control* automatically ensures that family members or players from a club do not play in a match. If this option is selected, after confirming the dialogue with *OK* you will be asked what should be taken into account: *Family, name, club* or other details in *Zusatz-Info:*

Flight check	×
With flight check PC CADDIE tries to avoid players from the same home club or the same family playing in the same flight.	✓ <u>O</u> K ★ <u>C</u> ancel
Check this information:	
Keep families as near as possible When extra info is selected all players which have the same extra info will be separated. This info must begin with the letters 'FT' (flight trennung), for example: FT01.	
Limit: up: 5 flights down: 5 flights	

Through information in the **additional info** you can specify that one person should not play with another (flight separation). To do this, enter "FT" for one person followed by the search abbreviation of the other person. So if "Willi Meier" should not play with "Peter Müller" in tournaments, select "Willi Meier" and enter "Peter Müller" under **Additional info** enter "FTmüpe" for him. The option **Tournament participation** option in the flight control ensures that players who have already played together in a match in the last few competitions do not start together again. The last 7 competitions are automatically activated for checking. Any number of additional matches can be selected for checking from the automatically displayed tournament list.

On the other hand, if you have a *carpool* as close as possible to each other automatically (recurring), use additional information beginning with "FG", e.g. FG01 or, as above, the search abbreviation of the other person.

Format = Divide start list into lots

With *Format* determines how the start list is to be divided:

Sort and structure		×
<u>O</u> rder:	Leave order (just format)	
	Random order High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	Ladies/ <u>G</u> entlemer
Split <u>w</u> omen and men:	Ladies and Gentlemen	<u>W</u> ithin group
<u>N</u> ote priorities:		Gruppen- <u>C</u> heck
✓ Sort flights internally	Check flight-combination	<u>I</u> urn around
✓ <u>Structure:</u> <u>Flight size</u>	e: 3 Player	Special
First flight:	Iee: 1 <u>I</u> ime: 10:00 o'clock	
Time <u>i</u> nterval:	8 minutes (0=Letters)	
<u>B</u> reak after each	(7,8=altering 7 and 8 minutes) 0 .flight: 0 minutes	
<u>N</u> umber of engage	ed holes 1 (2 = 1. and 10. Tee)	X <u>C</u> ancel

Behind *Flight size* you enter the number of players forming a match. You determine when and from which tee the first game should start under *First flight. Time interval* indicates the interval between two games. You can also enter several times here. Simply separate the times with a comma. For example, if you enter "7, 8", the games will always alternate between 7 and 8 minutes. This means that the times will always add up to 15, 30, 45, 60 minutes and so on. Very important is the *Number of occupied holes* Here you specify how many holes are to be occupied. For example, if you start from tee 1 and 10, 2 tees will be occupied - you must therefore enter a "2" here. You will then be asked which holes are to be occupied. If there are two holes, PC CADDIE automatically determines holes "1" and "10".

Cannon start

If you would like a cannon start, enter **Number of occupied holes** enter how many tees are to be occupied (i.e. normally "18" or "9" for a 9-hole course). If you then enter **time interval** "0", for the time interval, PC CADDIE will format, for example:

Hole, 10:00A - 1st hole, 10:00B -Hole, 10:00A - 2nd hole, 10:00B -Hole, 10:00A - 3rd hole, 10:00B -Hole, 10:00A -Hole, 10:00A - . . . - 18th hole, 10:00A

You can change the letters in the same way as the digits of the time by simply overwriting them with other letters or a space. The letters are always entered directly after the last digit of the time. After confirming the overall query with **OK** you will be asked which holes should be used:

Shotgun holes	×
Define the shotgun holes.The first holes are double engagedHoles:125694781810111213141516173	✓ <u>O</u> K ★ <u>C</u> ancel


Here you can list the desired holes as you wish - please start with the holes that are most likely to be (double) occupied. Incidentally, the hole sequence is saved by PC CADDIE and is always suggested again.

Confirm formatting - further queries

With **OK** to confirm all the settings. You will then be asked a few questions about the structure. For example, you can enter a larger number of players:

Define maximum number of players	×
You can enter here a larger number of players than already registered in the start list. Empty fields will be inserted! <u>N</u> umber of players:	✓ <u>D</u> K X <u>C</u> ancel

For example, if you have entered 101 players and want to play 3-player games, two players will remain:



PC CADDIE then asks whether you want a 2-player flight in front or whether the players at the back should remain. You will also be asked which information should be checked for the flight composition check.

Special individual functions

Sort and structure		×
<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order	
	High-Middle-Low Alphabetical Clubs Pre-round-scores, ascending	1 Ladies/ <u>G</u> entlemer 2 <u>Priority</u>
Split <u>w</u> omen and men:	Ladies and Gentlemen	3 Within group
<u>N</u> ote priorities:	Ascending	4 Gruppen- <u>C</u> heck
Sort flights internally	Check flight-combination	5 Iurn around
✓ <u>Structure:</u> <u>Flight size</u>	ze: 3 Player	6 <u>S</u> pecial
First flight:	Iee: 1 Iime: 10:00 o'clock	
Time interval:	0 minutes (0=Letters)	
Break after each	(7,8=altering 7 and 8 minutes) 0 .flight: 0 minutes	
<u>N</u> umber of engag		X Cancel

If you press one of the other five buttons on the right-hand side, the settings in the dialogue window are ignored - only the individual function assigned in each case is executed:

1. Ladies/Men

By clicking on the button *Ladies/Men* ladies and gentlemen are separated according to your wishes:

Split women & men 🛛 🗙
Select how the sexes should be split:
Women before men
Men before women
X <u>C</u> ancel
1

2. Priority

This button sorts the list according to start priority (early/late). The order within the same priority level is retained.

Order of priorities	×
Select how the priorities should be sorted:	
<u>D</u> escending	
X <u>C</u> ancel	
1	

3. Internal flight

After clicking on this button, PC CADDIE only carries out the flight-internal sorting, i.e. within a flight the men are listed before the women and then sorted by handicap.

4. Flight-Check

This button starts the flight check, which ensures, for example, that family members are not playing in the same flight.

5. Turn round

Pressing this option reverses the entire order of the start list.

6. Special

This button offers a special sorting, which you can select using the *Fields* button.

Special sorting	×
Please enter a field for the order:	Cancel
Activate special sorting	
Allocate field: <club.></club.>	
Fields F2	

Game totals in the start list editor

As soon as the start list has been finalised in the start list editor, you will see the sum of the players' EGA handicaps per game on the left-hand side (rounded to whole numbers). In a four-player game, you will also see the addition of the EGA handicaps of the pairs on the right.

Start list: PC C	ADDIE Cup, 1	Round - 25.03.20					-		×
<u>C</u> ompetition	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
Group: 17 3 Tee Time	- Player: 1/9 Abbr. Nar	ne		НСР	Club	7		Undo e per fligh	t 4
1 10:00	insa <mark>Inte</mark> suso Sus	rens, Ania († 1 rested, Sarah i, Someone uickert, Rosemar.	20 34 54 	4 4	Gast Guest		S	5	

Post-processing the start list

Swap people

After you have sorted and formatted the start list, first check whether the organisation corresponds to your wishes:

Start lis	t: PC C	ADDIE Cup,	1. Round - 25.03.20					-		×
<u>C</u> ompe	tition	Enter deta	ils Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
		- Player: 17 Abbr. N			НСР	Club		natic size Pri	Undo e per flight or.	: 3
1	10:00	aran **	[•] Ollendorff, Yanni. • Arens, Anja • Quickert, Rosemar.	36.(20.4 		♣ PC CA ♣	DDIE 0	iast		
1	10:08	kumi K	tember, Paul urze, Mirko <mark>iterested, Sarah</mark>	32.0 34.4		Ř TT Ř Golfclu ≹ Gast	иb USG	A	R	1

If you now want to swap the starting position of individual players, overwrite the search indicator of one person with that of the other. The persons then swap places:

Start list: PC C	ADDIE Cup, 1.	Round - 25.03.20					-		×
Competition	Enter details	Sort + Structure	Block	Buffer	Print	Info	Save	Quit	
Group: 1/ 3	-Player: 1/ 9					~	atic size	<u>U</u> ndo e per flight:	3
Tee Time	Abbr. Nam	ie		HCP	Club			ior.	
1 10:00	insa ** Ol	lendorff, Yanni. 🛛 🖶	<u>≤</u>]→ 36.0) 110	🛉 PC CA	DDIE G	ast	H	
	_	NEW PERSON <<							
	Interested,	Sarah	#Gast		34.	4 insa;i	nsa		ins
1 10:08	mepa Men	nber, Paul	32.0) 120	🛉 TT				
	kumi Kurz	e, Mirko			🛉 Golfelu	ib USG/	4	1	
	insa <mark>Inter</mark>	ested, Sarah	34.4	1	🛊 Gast				_

Overwrite a search indicator in the start list editor with a person who is not yet <u>not</u> in the list, one person will be replaced by the other. This allows you to correct incorrect entries. If the search indicator field of an entry is completely cleared, this person disappears from the list.

By default, a *exchange lock* is stored. However, the following message can be confirmed.

Attention: Stop swapping	×
Member, Paul	
This person is already entered at this time on the start list: Flight: 1 - Tee 1 - 10:00 o'clock	
Swap person nevertheless	
X <u>C</u> ancel	

Swap players with buffers

The option to swap players using the buffer is also very practical. By double-clicking on the player in the start list, clicking the arrow button in front of the handicap or under **Buffer/move this player into the buffer**.

Buffer	×
Buffer (1) Waiting list (0) Unanswered intranet registration (0) Ca	ancelled (0)
🗲 guro 🛛 🗮 Quickert, Rosemarie 🔍 🜲	FIS

An empty space remains in the start list:

Start lis	t: PC C	ADDIE Cup,	1. Round - 25.03.20					-		×
<u>C</u> ompe	tition	Enter detai	ls Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
	: 1/3 Time	• Player: 37 Abbr. N			HCP	Club			<u>U</u> ndo e per flight ior.	: 3
1	10:00	-	Ollendorff, Yanni. Arens, Anja	20.4		🛉 PC CA	DDIE G	iast		
				⊴→					- F	-
1	10:08	kumi K	ember, Paul urze, Mirko <mark>terested, Sarah</mark>	32.0 34.4		🕈 TT 🕈 Golfelu 🌲 Gast	ıb USG	A	R	

Swap in pairs

In four-player tournaments, players are generally swapped in pairs if you select the option **Swap in pairs** option is activated:

1				
🔽 Stop loading	🔽 Stop removing	🔽 Stop swapping	🔽 Swap pairs	

This means that pairings are always kept together. If you want to change pairings, you must therefore first select *Swap in pairs* beforehand, after which individual players can be swapped.

Swap games

In principle, swapping game positions works in the same way as swapping people. You only need to overwrite the start time with the desired time:

Start list	tart list: PC CADDIE Cup, 1. Round - 25.03.20								-		×
<u>C</u> ompet	ition	Enter det	tails	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
Group: Tee	1/3- Time	Player: 1 Abbr.	/ 9 Nam	e		НСР	Club	autor		<u>Undo</u> e per fligh rior.	t 3
1	10:16	smbe	** Sc	hmedding, Bener lef			ŧ			5	
		····-		ber, Paul :ck, Axel	32.0 33.0		🛉 TT 🛉 Golfe	lub USG	iA		
1	10:08	kumi	** Ku	endorff, Yanni. rze, Mirko ens, Anja	36.0 20.4		🛉 PC C	ADDIE (lub USG	Gast	R	1
1	10:16		Intere	ested, Sarah Someone	34.4 54	4 142	🛔 Gast 🛓 Gues		S		

If this start time does not yet exist, the game will be inserted at the appropriate position between the other games. Otherwise, a query box appears on the screen:

me ad	ljustment	×
	You have changed the start time on tee 1 -10:16 o'clock.	
	There is already a flight here at this time How do you wish to proceed?	
	Insert only single flight	
	<u>S</u> wap flights	
	Adjust all following flights from here	
	Join flights	
×	<u>C</u> ancel	

Here you can choose whether to insert the game, swap two games, move everything from here or combine the two games.

Move start times for breaks

If you want to move start times to insert breaks, the easiest way to do this is with **Sort + Format/Pause** (F6):

Break / Interval	×
Enter the time into which this flight should be moved! All following flights will be adjusted accordingly:	✓ <u>O</u> K X <u>C</u> ancel
Iee: 1 Time: 10:00 o'clock Additional interval: 10 minutes	

The times (or the tee) are moved from the active flight here. This makes it easy to add breaks to the start list.

If a block has been defined, this function refers to the first flight of the block and not to the flight in which the cursor is located. You can also insert breaks by simply going to the start time and changing it accordingly. PC CADDIE will ask you after confirming with Enter, whether you only want to move this flight or whether everything from this flight onwards should be moved. To insert a break, select the second option.

Insert and delete lines

Empty fields in the lot are not automatically deleted as long as the lot does not exceed this lot size. The value for **Automatic batch size** is set by **Sort + Format** automatically. By pressing the **Del** in an empty entry, superfluous entries can be easily removed, pressing **Insert** inserts a new empty field at the active position. With **Ctrl + Insert** you can insert a new lot, all subsequent lots are shifted accordingly. If the last entry of a game is deleted, the game is moved to the time of the deleted game and the other games are moved accordingly.

In the section *Edit* the changes described above can also be made with the mouse button. However, we recommend that you use the keyboard as often as possible.

Buffer for swapping and structuring

There is a buffer in the start list editor in which players can be temporarily stored. Except with the button **buffer** button, you can also simply use the key combinations **Ctrl + right arrow** or **Ctrl + left arrow** to move players into the buffer or retrieve them again. With the keys **Ctrl + up arrow** or **Ctrl + down arrow** you can scroll up and down in the buffer even though the main editor is active. When saving, the buffer content is also saved.

If you overwrite a player's abbreviation in the start list with that of a person from the buffer, both swap between the start list and the buffer.

Structuring the start list with the buffer

You can also use the buffer to structure a start list in the same way: First enter all players in a large flight as usual. Now use **Sort + Format** to generate the flight structure. The players should still be in the start list so that the structure is generated according to the number of players.

Then click on **Buffer/All players in the buffer schieben:**

Вι	uffer						×
	Buffer (9) Waiting list (0) U	Jnanswer	ed intra	net registration	(0)	Cancelled (0)
							1
	1/9						
	🗲 aran	Arens, Anja	20.4	ŧ			
	smbe	** Schmedding, Benedikt	26.4	÷			
	mepa	Member, Paul	32.0	🕈 TT			
	heax	** Heck, Axel	33.6	🛉 Golf	club USG		
	insa	Interested, Sarah	34.4	🛊 Gas	t		
	olya	** Ollendorff, Yannick	36.0	-	CADDIE 6		
	suso	Susi, Someone	54	🛊 Gue			
	kumi	** Kurze, Mirko		🏚 Golf	club USG		1 N N N N N N N N N N N N N N N N N N N
	quro	Quickert, Rosemarie		*			
Г				<u></u>			
	+	In list 🔶 <u>N</u> e	W	0	<u>E</u> dit	×	<u>R</u> emove
	++	All <mark>[1] I</mark> nf	o	2	<u>S</u> ort	×	<u>C</u> lose

The buffer is now filled, the start list is empty instead. If required, you can sort the players in the buffer using the *Sort* button:

Sort buffer	×
How should the buffer be sorted?	
Order: Handicap, ascending Handicap, descending alphabetical by clubs by age class by date of birth Pre-round-scores, ascending Pre-round-scores, descending Time of registration Time of deletion	X <u>C</u> ancel
Priorities: Ignore Ascending Descending	
Ladies/Men: Ignore Ladies before Gentlemen Men before Ladies	
✓ Sort the order automatically (F4)	
🗧 In list 🔶 <u>N</u> ew 📀	Edit X Remo

2

<u>S</u>ort

×

<u>C</u>lose

++

All

H

<u>I</u>nfo

The button *In list* button moves the selected player back to the start list. With *Edit* opens the person mask of the selected player. You can enter any changes directly here. With *Delete* the player is automatically deleted.

You can use the buffer to distribute the players into the flights as required: If an empty field is selected in the start list and then a person is taken from the buffer (by double-clicking or **Ctrl + right arrow**), PC CADDIE then automatically jumps to the next empty field so that the players can easily be arranged around players who have already been seeded.

If the marker in the start list is on a filled field, the player is inserted from the buffer under this marker. buffer is inserted under this marker. Of course, all functions for swapping, inserting breaks etc. can also be used with such a manual arrangement.

Group check

PC CADDIE can automatically perform a grouping check when creating start lists. It automatically ensures that players with the same name, family affiliation or from the same club do not play in the same match. If necessary, a swap is made with one of the next matches. If it is no longer possible to fulfil all the requirements from the control setting, the player will be marked with two leading asterisks (instead of being sorted into a match alone):

Start list: PC C	ADDIE Cup, 1. Round - 25.03.20			—		×
<u>C</u> ompetition	Enter details Sort + Structure	Block Buffer	Print <u>I</u> nfo	Save	Quit	
Group: 17 3 Tee Time	- Player: 3/ 9 Abbr. Name	НСР	auto Club	<u></u>	<u>Undo</u> per flight: or.	3
1 10:00	smbe <mark>** Schmedding, Bened.</mark> heax ** Heck, Axel	26.4 92.0 33.6	🕈 🛧 Golfclub US(ŝΑ		
1 10:08	mepa Member, Paul olya ** Ollendorff, Yanni.	32.0 36.0 110	↑ TT ↑ PC CADDIE	Gast		

The asterisks disappear again when you click on *Edit/Edit person* (F7) to edit the person and then press *Cancel* or Escape again. You can also simply leave the asterisks as they have no further effect and are only there so that you can take another look at the division of lots. The flight composition control is automatically activated with *Sort + Format* if the corresponding option is activated. However, it can also be started separately without any other formatting: To do this, select *Sort + Format* and then press on the right on *Flight check*.

Type in the specified list

If you only want to copy a start list from a predefined, manual compilation (of a sponsor, for example), simply enter the players one after the other into your empty start list using the search indicator. Normally *Enter* to continue. After the last entry of a game, you can press *Ctrl* + *PgDn* to start a new flight.

For example, if you want to type a list of flights of 3, you can also select **Automatic lot size** enter a "3". A new flight will then be started automatically after every third player if you press **Enter** or **Tab** you do not have to press **Ctrl + PgDn** key. However, if you use **Ctrl + PgDn** a new flight is not started, so you have the option of playing a game of four in between.

PC CADDIE suggests a time interval of 8 minutes for the next game. However, the new time calculated in this way can be freely modified. The start times of the following games are then suggested at the same interval. After typing in the complete start list, you should press **F5** to sort the games correctly.

If necessary, switch on the swap lock in the start list editor before entering the players.

Sorting order for cannon start

The management of the tees within the start list for tournaments with a cannon start (shot gun) enables sorting with priority on the tee as well as with priority on the start time, in the event that there are to be several start groups.

Sorting priority on the tee

In a cannon start, for example, 9 holes are usually started at the same time. On some holes, two flights have to start one after the other. The sorting order is then, for example:

- 1st hole, 10:00A 1st hole, 10:00B 2nd hole, 10:00A
- 2nd hole, 10:00A 2nd hole, 10:00B etc.

Flight "A" therefore starts first, followed by flight "B" on hole 1. Such a structure can also be created automatically by using the formatting function **Sort + Format** the **number of occupied holes,** in this example 9 (start on 9 holes at the same time). Of course, you can also start from 16 holes or 18 holes.

▼ <u>S</u> tr	ucture: <u>F</u> light size:	2 Player
	First flight: <u>T</u> ee:	1 <u>T</u> ime: 10:00 o'clock
	Time interval:	8 minutes (0=Letters)
		(7,8=altering 7 and 8 minutes)
	<u>B</u> reak after each	0 .flight: 0 minutes
<u>N</u> umber of engaged holes		9 (2 = 1, and 10, Tee)

Sorting priority on the start time

If you want to start in several start groups (one group starts at 10 am and the second group at 2 pm due to a high number of participants), the start order should ideally look like this:

- 1st hole, 10:00 a.m. 2nd hole, 10:00 a.m. 3rd hole, 10:00 a.m. -...
- 1st hole, 14:00 2nd hole, 14:00 3rd hole, 14:00 -...
- To achieve this sorting, enter a ".,, (dot) in the hole entry for the second starting group.
- If you have a 9-hole course and want to start again at noon, you first make the start grid for 18 holes (although you only have 9 holes...) and later enter "1." in the start list on tee 10, move the time to 2.00 p.m., and then select **But move everything here**", and you have a cannon

start grid for 9am and 2pm.

Start list: PC C	ADDIE Cup, 1.	Round - 25.03.20					-		×
<u>Competition</u>	Enter details	Sort + Structure	Block	Buffer	Print	<u>l</u> nfo	Save	Quit	
Group: 2/5 Tee Time	. Plauer: 37.9 Tee / Time ad	ljustment		×	Club			<u>Undo</u> e per flight ior.	t 2
1 10:00 1. 10:00	c	have changed the s in tee 2 -11:00 o'c iw do you wish to pro	lock.		: Gast • TT	ιb USG DDIE G		51	•
		djust only this single st all following flights Cancel	-						

In this section, note the "." and ":" characters that appear after the hole number in the start list, depending on the setting. These dots indicate the order.

If you enter a ":" after the hole number instead, it becomes "Hole 1:" for the third start group. If you delete the dot and colon again, you switch back to the first group (no dot after "Hole 1"). "Hole 1." is always entered after "Hole 18" and "Hole 1:" behind "Hole 18." (sorting sequence: 1 - 2 - 3 - ... - 18 - 1 - 2

If you want more than one starting group, you can sort the cannon start tournament with **Sort + Format** to format the gun start tournament automatically: To do this, enter the number of holes to be played multiplied by the number of starting groups in the maximum hole number to be occupied (for example, if 18 holes are to be played in two starting groups, enter "36"):

Sort and structure		×
<u>O</u> rder:	Leave order (just format) Handicap, ascending Handicap, descending Random order High-Middle-Low Alphabetical	Ladies/ <u>G</u> entlemer
	Clubs Pre-round-scores, ascending	Priority
Split <u>w</u> omen and men:	Ladies and Gentlemen 💌	Within group
<u>N</u> ote priorities:	Ascending	Gruppen- <u>C</u> heck
☑ Sort flights internally	Check flight-combination	<u>I</u> urn around
✓ <u>Structure:</u> <u>Flight siz</u>	e: 3 Player	Special
First flight:	Iee: I Iime: 10:00 o'clock	
Time interval:	8 minutes (0=Letters)	
	(7,8=altering 7 and 8 minutes)	
<u>B</u> reak after each	0 .flight: 0 minutes	
<u>N</u> umber of engag	ed holes 36 (2 = 1, and 10, Tee)	X <u>C</u> ancel

After formatting, you then enter e.g. with **pause** for the game on the 19th hole "Hole 1" and instead of the start time for the first group, enter the time for the second start group.

Tee distribution for cannon start

Shotgun holes	×
Define the shotgun holes. The first entered holes will be engaged at first double!Holes:518612137891011213141516174	✓ <u>O</u> K ★ <u>C</u> ancel

The holes are occupied in the order entered here.

If, for example, it is a smaller tournament where not all tees are occupied, you can use this to determine which holes you want to use for the start.

If, on the other hand, it is a large tournament where some holes are used twice, you can determine which holes should be used twice.

Multi-round tournaments

Copy start list from another round

In tournaments that are played over several rounds, you edit the start list for each round independently. If you use the function *Enter matches/players, organise start list* function, you will first be asked for which round you want to edit the start list:

Select round	×
PC CADDIE Cup	
Select which round should be entered:	X Cancel
Round: 1. Round 2. Round	

If you first create the start list for the first round, the start list for the second and subsequent rounds will remain empty. Of course, the same players who competed in the first round usually play in the subsequent rounds. To avoid having to re-enter them, you can copy the players from the previous round. There are two different ways of doing this, which are described below:

- Copy sorted by the results of the preliminary round. With this option, a cut is also possible (*cut*).
- Copy with time division (*loading*).

Sort by preliminary round results, cut

With "Load cut from previous round", individual individual cuts for individual players that were set in the previous round!

If you want to sort the subsequent round (e.g. 2nd or 3rd round) according to the results of the previous round, the procedure is as follows: In the still empty start list, select *Edit/Load cut from previous round* (F3):



Now select the tournament from which the players are to be transferred. This is usually the same tournament in which you are currently working, so you can simply click on **Next** to confirm:

Define Cut	×
PC CADDIE Cup	✓ <u>о</u> к
Source round: 1. Round ▼ Compute total scores Players from all rounds Rounds priority	S Back
⊆ut: Gross-Descending ✓ with same scores	
Numbe Category HCP from to 999 (neutral)	
0 (neutral) ▼	
0 (neutral) ▼	
0 (neutral) ▼ ဩ Pro ▼ Load in seperate groups	

TIP The hook **Players from all rounds** is important if, for example, you want to cut all players from rounds 1 and 2 into a round 3 (then cut from source round 2 and all previous rounds. Players from round 1 who have not played round 2 are then also included)!

You can now determine the exact procedure for cutting: First select under **Source round**, from which round of the source tournament the players are to be copied. When copying to the third round, for example, please note that cuts are usually made according to the overall results from the first and second round. Therefore, the option **Calculate total results** option should be activated.

<u>C</u> ut:	Gross-Descending	-
	vith same scores	

With **Cut** you first select the cut order: "Descending" means that the players with the worst results start first and the best are at the end. "Gross descending" is the most common selection. Normally you can also select the option **with equal results** activated. This means that if there is a cut of 20 players, for example, the players who are tied with the 20th player will continue to play.

<u>C</u> ut:	Gross-	Descending				•
	🔽 with	n same scores				
	Numbe	Category		HC	P from	to
	20	All ladies	(Pro	·-
	20	All men	- 3		Pro	
	0	(neutral)	-		Pro	
	0	(neutral)	-		Pro	
	0	(neutral)	-		Pro	
	0	(neutral)	-		Pro	•
	🔽 Loa	ad in seperate grou	aps			

With **number** and **category** you can transfer the desired number of players per category. In the example above, only the best 20 women and the best 20 men are transferred. **Load separately by group** ensures that the players are loaded in these two separate groups, i.e. in this example the men are loaded first and then the women. If this option is not activated, the players are sorted strictly according to the results, regardless of the cut group.

If you want to accept all persons and do not want a cut or restriction, leave the cut definition in the default setting: *Number* "999" and *category* empty. Confirm everything with *OK*, then the players will all be loaded. On the far right of the list, you will see the preliminary round result according to which the players were sorted:

Start list: PC C	ADDIE Cup, 2	. Round - 25.03.20						_		×
<u>C</u> ompetition	Enter details	Sort + Structure	Blo	ock	Buffer	Print	<u>l</u> nfo	Save	Quit	
Group: 1/ 1 Tee Time	• Player: 17 9 Abbr. Na				НСР	Club			<u>Undo</u> e per fligh ior.	it 3
1 0:00	kumi Ku heax He olya Olli quro Qu insa Intr mepa Me aran Are	si, Someone 🖶 ze, Mirko ck, Axel endorff, Yannick ickert, Rosemarie erested, Sarah mber, Paul mse, Anja nmedding, Benedikt	⊴→	54 33.6 36.0 34.4 32.0 20.4 26.4	-	Guest Golfclu PC CA Gast TT	ib USG.	A	ji I	0 0 0 0 0 0 0 0 0 0 0

Now you can sort as usual with **Sort + Format** to categorise the games for the start list. It is recommended that you first select **Order** "Leave order" and select the option **Sort within flight** option.

Load players with time allocation

This option is recommended if you want to start the second round in the same or a similar way to the first round. First, copy the start list to the second round by selecting *Edit/Load start list from other tournament/other round* (or the keys *Shift* + *F3*):

Spieler	aden 🛛 🖾	S
h	föchten Sie die Spieler mit Zeiteinteilung oder mit den Vorrundenergebnissen laden?	
	m eine Startliste nach Ergebnissen einzuteilen, ssen Sie die Spieler mit Ergebnissen laden und dazu die Cut-Funktion benutzen.	
	Spieler mit Zeiteinteilung laden	
	Spieler mit Ergebnissen laden -> Cutten	
	Abbruch	

In this dialogue, click on *Players with time allocation laden:* in this dialogue if you want the same starting list as in the preliminary round.

Use the second button *Load players with results - Cutten:*, button, you have the option of entering a cut (see previous chapter "Sorting by preliminary round results - Cuts") and the players will be loaded with the results but without any start list classification.

Enter players	×
Select from which competition the start list should be loaded!	✓ Load
CAREFUL: After loading a new start list is created!	X Cancel
20004 PC CADDIE Cup, 25.03.20	

Select the tournament that is to serve as the source for the start list, confirm with *Load* and then determine the source round:

Select round	×
PC CADDIE Cup Select from which round you wish to load:	✓ <u>O</u> K ズ <u>C</u> ancel
Bound: 1. Round 2. Round	

You will then see the same start list for the second round as for the first round. You can now change this start list as you wish. For example, if you want a new start time, go to the first flight and press **Pause.** You can then enter the new start time. Often you want to start the second round in exactly the opposite way to the first round. Then press **Sort + Format** and then here in the right-hand part

Working with blocks

If you only want to edit part of the start list, you can select a block. All formatting functions then only apply to the selected block. For example, it may make sense to only re-sort the start list in a specific area - the rest of the list remains as it is. You can move a block by pressing **Block/start of block marking** (F9) to insert a block. To do this, you must first scroll to the position that is to form the start of the block. Then select the player who is to form the last entry in the block. Now press **Block/End of block marking** (F9) to finalise the block. The block is represented on the screen by a solid double line on the far left:

Start list: PC C	ADDIE Cup, 2	. Round - 25.03.20					_		×
<u>Competition</u>	Enter details	Sort + Structure	Block	Buffer	Print	<u>I</u> nfo	Save	Quit	
Group: 1/ 1 Tee Time	- Player: 4/ 9 Abbr.	ne		HCP	Club			Undo e per flight ior.	: 3
1 0:00	kumi Kur	i, Someone ze, Mirko sk, Axel	54 33.1		: Guest Golfclu Golfclu			(1)
	olya Olle	ndorff, Yannick 🔤 ckert, Rosemarie		_	PC CA				-
	insa Inte mepa Mer	rested, Sarah mber, Paul ns: Ania	34. 32. 20.	0	Gast TT			(

To remove the marker, select **Block/Block marker** - you can also use the key combination **Shift + F9** instead.

Load lock



The charging lock, which is switched on by default, can also be deactivated by unchecking the **Load lock** It is particularly important when post-processing (swapping people). If, for example, "Winfried Müller", who has already been entered, is to take part in a tournament but is to be moved from his match to another, it can happen that you accidentally write the search indicator for "Willi Müller" in the desired position, even though he is not supposed to play. He would then appear incorrectly on the list, while the person who was supposed to swap with "Winfried Müller" would be deleted from the start list. If the load lock is switched on, you will be prompted again to confirm or cancel your change.

Attention: Stop loading	×
Member, Petra	
This person is not yet entered in the start list and 'Stop loading' is activated.	
Enter player nevertheless	
Cancel	

This function is important because once an error has been made, it is difficult to retrace and cancel it.

Exchange lock



With the default setting of the option **Swap lock** option, PC CADDIE activates the swap lock, which is important when entering tournament players. The function is explained using an example: Suppose a certain Willi Müller had the search code "müwi" and a certain Winfried Müller had the code "müw1". The former was already entered when the start list was created, and a few games later it is Winfried Müller's turn. Now the programme user can make the mistake of unconsciously entering the abbreviation "müwi" in the search indicator input field, as he does not remember at this moment that it is already occupied by Willi Müller. This would result in Willi being moved from his original lot to this one and Winfried not appearing on the list at all.

This source of error can be minimised by switching on the swap lock. In this case, a warning box appears asking whether this is an input error or whether a swap should actually be carried out:

Attention: Stop swapping	×
Member, Paul	
This person is already entered at this time on the start list: Flight: 1 - Tee 1 - 10:00 o'clock	
Swap person nevertheless	
Cancel	

Key assignment

The arrow keys are used to move the cursor within and between the input fields. If you use **Tab, the down arrow key, Enter** or **PgDn** beyond the end of the list, a new entry field is added. If **PgDn** is pressed, a new flight is started. All functions can be operated using the mouse, but it is often quicker if you memorise the most important keys. The following keys are assigned in the editor:

_ .					
Enter or Tab	Jump to the next input field.				
Ctrl + Enter	Insert new entry line under the current entry line.				
PgUp	Jump to the start of the previous flight.				
PgDn	Jump to the start of the next flight. If no further flight is available, a new flight start is created.				
Ctrl + PgDn	Insert new start of flight under the current entry line. The following entries up to the next flight start are added to the inserted flight. All subsequent flights are moved back accordingly.				
Pos1	Switch to the start of the respective entry field.				
End	Switch to the end of the respective input field.				
Ctrl + Pos1	Jump to the beginning of the player list.				
Ctrl + End	Go to the end of the list of players.				
Ctrl + Del	Delete the selected player from the list.				
F2	Calls up a person selection list from which the players can be selected.				
F3	Cut				
Up arrow key + F3	Copy from another tournament.				
F4	Sort + Format				
Up arrow key + F4	Reverse order: Pressing these buttons reverses the order of the players within the flight structure. The entire structure is retained.				
F5	Sort within flight: Sorts within a flight according to handicap and the ladies to the back (is activated after pressing F4 automatically).				
Up arrow key + F5	Delete flight sorting: This key combination can be used to delete the flight structure of the start list. However, the players and their order remain in the player list.				
F6	Insert breaks / change tee: This button corresponds to the Pause button.				
Up arrow key + F6	Change flight size: This key combination corresponds to the Party size button and allows you to change the flight in which the cursor is located to a freely selectable size. The order of the players in the list is retained and the flight structure is simply moved				
F7	Change personal data: Corresponds to the Edit person button: Calls up a personal data editor in which all personal data can be changed. This editor is a simplified version of the function Enter, change, delete persons/new. It is important that every change to the personal data takes effect throughout the entire programme, regardless of where you make it. You can therefore immediately correct typing errors in names, for example. Persons that you enter for the first time are also added to the central person database.				
Up arrow key + F7	Search in the player list: This key combination corresponds to the Search button: You can search for a specific player, flight or start time. An input window appears with input fields for the person search indicator, the start time with hole and the flight number. A search is then carried out for the details that have been changed in this window.				

Shift + F9	Block marking
F9	Select block
F8	You can use this function to trigger various print functions: → Print a provisional start list ("quick list") for an overview. → A "radio operator list" can be created for large tournaments. This contains all players in the starting order with their names and search codes as well as a table with entry fields for each hole result for each person. → During the competition, radio operators can then stand at intervals of three holes, for example, and write down the results of the last three holes from the other players and then send them to the competition organiser. → The results centre also has such a list and can write down the results here. It is not advisable to enter the printed results directly without writing them down, as errors can easily occur. →In addition, you can also branch directly from here to the "correct" start list print function and the scorecard function. Please note that the input must be saved before printing start lists and scorecards.

Temporarily save

While you are entering the players, you should not forget to regularly press *Save*, to temporarily save the list you have entered.

Reactivate start list

Via the button **Undo** button to reactivate past saves:

			, 1. Round	- 25.03.20 Structure	Block	Buffer	Drint	Info		Quit	\times
Group:	3/3-	Player: 7/	9	Structure	DIOCK			(natic size	Undo per flight:	3
Tee 1	Time 10:00	heax *	lame 1ember, Pau * Heck, Axe * Ollendorff,	I	32.0 33.6 36	i 🦯	Club Golfclu PC CA			or.	
2	10:00 Re	smbe *	* Schmeddir revious sta	ng, Bened.		134			X	1	
5	10:0	Date 19.03.20 19.03.20 19.03.20	want to Time	e which stat o reactivate: <u>Minutes ag</u> 02:32 00:21 00:11 00:01	-	<u>s</u>	×	<u>O</u> K Cancel		FI	

Lock player for start list

In the person mask you have the following options for the characteristics at **Additional info** you have the option of blocking a player from tournaments. Select the selection button behind the input field:

Click on **New** (F9) to create the additional information if you have not yet created it. Here is an example of a player who is to be denied registration for a tournament via the intranet:

Gruppe definieren						
	Bitte bestimmen Sie hier die Gruppe:	√ <u>о</u> к				
<u>K</u> urz:	tas	X Abbruch				
<u>L</u> ang:	Turnier-Anmeldungs-Sperre					
	Automatische Warnung bei Anwahl					

Confirm your entries with **OK.** Please enter this additional information for the relevant person. This means that this player can no longer register for a tournament via the intranet. For the internal blacklist, i.e. when you add tournament players, it is best to create additional information as follows:

Define group	×
Define the group please: Short: CB Long : Course bloking ✓ Automatic warning by selection of the person	✓ <u>D</u> K X <u>C</u> ancel

This will open a window with this information when the person who has stored this information is dialled. This lets your employee know that this player may not be included on the start list.